

170 - 53rd Street, Brooklyn, New York 11232 - USA

Tel: (718) 492-3648

Fax: (718) 439-0039

Out of State: (800) 458-7454

E-Mail: [info@catchmaster.com](mailto:info@catchmaster.com)

Web: [www.catchmaster.com](http://www.catchmaster.com)

## MATERIAL SAFETY DATA SHEET CATCHMASTER RODENT AND INSECT GLUE

### Index of Sections

1. Identity of the Product and of the Manufacturer
2. Ingredients Composition and Information
3. Nature of the Risk
4. First Aid Procedures
5. Fire and Explosion Hazard Data
6. Measures in Case of Accidental Leak
7. Handling and Storage Procedures
8. Control Measures and Personal Protection
9. Physical and Chemical Properties
10. Stability and Reactivity
11. Toxicological Information
12. Ecological Information
13. Disposal Methods
14. Transport Information
15. Regulations Information
16. Other Information
17. List of Products
18. Code of Federal Regulations – UNITED STATES OF AMERICA

### 1. IDENTITY OF THE PRODUCT AND OF THE MANUFACTURER

Products Name: CATCHMASTER / DEAD END (Rodent and Insect Glue)

Ministerial Registration Number: The Products are freely sold in the U.S.A. Market. Each individual package must carry the E.P.A. Establishment Number. Please see Section 18 for details.

Manufacturer: A P & G Co., Inc.  
170 – 53<sup>rd</sup> Street  
Brooklyn, New York 11232 – U.S.A.  
Tel. No.: 718.492.3648  
Fax No.: 718.439.0039

### 2. INGREDIENTS COMPOSITION AND INFORMATION

- 2.1 Ingredients:
- a. Polybutylenes
  - b. Polyisobutylenes
- a) Chemical Name:
- a. Polybutylenes
  - b. Polyisobutylenes
- b.) CATCHMASTER insect and/or rodent traps function by means of a permanently tacky polymeric coating.
- c.) These coatings contain the same group of resins coated on plastic trays or paper cardboard. However, the percentage of each component varies for each formula. Therefore, the following data apply to each of the following items marketed under the trade mark names of CATCHMASTER and DEAD END.

- d.) The specific chemical identities of the ingredients of this mixture are considered by A P & G Co., Inc. to be Trade Secrets and are withheld in accordance with the provisions of 1910, 1200 of Title 29 of the Code of Federal Regulations, U.S.A.

### 3. NATURE OF THE RISK

- 3.1 Risks for Health (Acute and Chronic): The Product can be harmful if swallowed in huge quantities and in case of contact with the skin.
- 3.2 Precaution norms: Keep out of reach of children and pets.  
When using, do not contaminate food, drinks or containers meant to contain them.  
Avoid contact with skin and eyes.
- 3.3 Hazardous Components: OSHA has established no permissible exposure limits for this blend of polymers. However, no significant health and safety hazard is expected since individual components of blend have good health and safety profile.

### 4. FIRST AID PROCEDURES

- 4.1 First Aid Measures: In case of contact with eyes, seek medical advice.  
If swallowed in huge quantities seek medical advice.  
In case of contact with skin, wash with solvent (petrol), or wipe clean with cosmetic hand or body lotion.

### 5. FIRE AND EPOSITION HAZARD DATA

- 5.1 The CATCHMASTER glue tray is combustible in the same manner as paper.

Flash Point of Adhesive Glue is higher than 200 F. LEL – N/A. UEL – N/A

N.F.P.A. Rating: Health - 0. (Hazard very slight)  
Fire - 1. (Hazard slight)  
Reactivity - 0. (Hazard very slight)

- 5.2 Measure of Protection: Wear protective clothing and means of protection for eyes and respiratory passages.

### 6. MEASURES IN CASE OF ACCIDENTAL LEAK

- 6.1 Personal Protection: PVC or rubber gloves, do not handle with bare hands.  
Spread the product with means of spatulas
- 6.2 Procedures to be followed for disposal: The damaged product or the polluted material must be delivered to authorized companies for the appropriate disposal in accordance with norms into force.

### 7. HANDLING AND STORAGE PROCEDURES

- 7.1 Handling Precautions: Wear protective glasses during the pouring off of the product. Operate in well-ventilated places of work.
- 7.2 Storage Precautions Max storage temperature + 60 °C.  
Min. storage temperature + 5 °C.  
Protect the product from humidity.



- 14.1 Road and railway transport:                   ADR    Not classified
- 14.2 Sea transport:                                    IMDG  -
- 14.3 Air transport:                                  IATA  -

*In all type of transport, keep the product away from food, drink and animal foodstuff.*

## 15. REGULATIONS INFORMATION

- 15.1 Classification and labeling:                   Symbol of danger:                   **NONE**
- 15.2 Risk phrases:                                    None
- 15.3 Other precaution norms:                      Keep out of reach of children and pets.
- Do not contaminate food, drink or containers meant to contain them.
- Avoid contact with skin eyes.

## 16. OTHER INFORMATION

- 16.1 Emergency phone number:                   718-492-3648
- 16.2 Other Information:                            The information described in this sheet is based on our actual knowledge, therefore, they must not be considered as guarantee of specific features. The user must follow under his own responsibility the norms in force. The above described information is valid for the product as it is. In case of combination mixture, make sure that no new danger may take place.

## 17. LIST OF PRODUCTS

<u>Model</u>	<u>Description</u>
<b><u>CATCHMASTER BULK GLUE PRODUCTS:</u></b>	
BG-1	ONE GALLON EASYSREAD BULK GLUE
BG-5	FIVE GALLON EASYSREAD BULK GLUE

## 18. Code Of Federal Regulations – UNITED STATES OF AMERICA, Title 40 -Protection of Environment. Volume No. 16, Parts 151 to 189 (July 1, 1999). Consult U.S.A. Government Printing Office, Washington, D.C.

- 18.1 Each single package of every CATCHMASTER Product is marked EPA – Establishment No. 48377-N.Y.-1 and DEAD END is marked EPA Establishment No. 66644-N.Y.-1. This mandated by the United States of America Environmental Protection Agency Regulations. Furthermore, detailed Annual Production and Sales Reports must be filed each and every year with the E.P.A., by the A P & G Co., Inc.

*MSDS-2005-5BULK. INTERNATIONAL*  
*Date Prepared: 10-Oct-2005*